

Table 2. Internalizing and Externalizing Problems, in T-scores and classification, reported by both child and mother, in obese and normal weight children (Obesity Status according to Cole et al)

	Obesity Status			p-value
	Total	Normal Weight Group	Obese Group	
Internalizing, child				
T-score	48.3 ± 11.9	43.2 ± 9.1	49.3 ± 12.3	0.03
classification:				
normal, borderline, clinical (%)	80.3%, 8.2%, 11.5%	96.2%/3.8%/0%	76.0%, 9.4%, 14.6%	0.048
Internalizing, mother				
T-score	58.8 ± 11.4	50.6 ± 10.4	60.6 ± 11.3	<0.001
classification:				
normal, borderline, clinical (%)	54.2%, 11.7%, 34.1%	83.3%, 4.2%, 12.5%	46.9%, 13.5%, 39.6%	0.006
Externalizing, child				
T-score	47.2 ± 11.0	45.0 ± 10.4	47.8 ± 11.5	0.28
classification:				
normal, borderline, clinical (%)	85.3%, 4.9%, 9.8%	88.5%, 7.7%, 3.8%	84.4%/4.2%/11.4%	0.38
Externalizing, mother				
T-score	55.2 ± 11.1	48.2 ± 13.3	57.2 ± 10.5	0.003
classification:				
normal, borderline, clinical (%)	64.2%, 14.2%, 21.7%	75.0%, 16.7%, 8.3%	61.5%, 13.5%, 25.0%	0.18